

銘竹

Bamboo

There are many types of bamboo with different appearances. The shapes differ from square, flat and round. We will answer the needs of our customers, from construction places to designs.

© Takumi Ota

■ Sarashitake YA-001 p.14



Other than these options, it is possible to make different cuts for the customers needs.



Sarashitake

The most popular oil removed dry bamboo, using a special way of manufacture.

品番YA 001	Length /mm	φ/mm	Non Protected U/P(\$)	Protected U/P(\$)
01	2,000	9	10	11
02	2,000	12	10	11
03	2,000	15	10	11
04	2,000	18	10	12
05	2,000	21	11	12
06	2,000	24	11	13
07	2,000	27	13	15
08	2,000	30	14	17
09	3,000	18	16	18
10	3,000	21	16	18
11	3,000	24	17	20
12	3,000	27	18	21
13	3,000	30	21	25
14	3,950	24	23	25
15	3,950	27	24	26
16	3,950	30	28	31
17	3,950	33~36	37	39
18	3,950	39~42	39	47
19	3,950	45~51	53	58
20	3,950	54~63	75	85
21	3,950	66~72	89	100
22	3,950	75~81	120	135
23	3,950	84~90	170	190

Protected



Shiratake (Madake)

The most representative bamboo blazed with fire to remove oil.

品番YA 040	Length /mm	φ/mm	Protected U/P(\$)
01	4,000	24	86
02	4,000	27	86
03	4,000	30	86
04	4,000	33~36	86
05	4,000	39~42	86
06	4,000	45~51	105
07	4,000	54~63	120
08	4,000	66~72	150
09	4,000	75~81	200
10	4,000	84~90	300
11	4,000	93~99	400
12	4,000	102~108	500

Protected



Shiratake (Moso)

Bamboo blazed with fire to removed oil.

品番YA 002	Length /mm	φ/mm	Protected U/P(\$)
01	4,000	75	220
02	4,000	84~90	270
03	4,000	93~105	310
04	4,000	108~120	350
05	4,000	123~135	400
06	4,000	138~150	500

Protected




Shiratake (Metuki)

Bamboo with branches blazed with fire to removed oil, mostly used for a tea ceremony room.

品番YA 003	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	15~18	90
02	2,000	21~24	90
03	2,000	27~24	90
04	3,000	27~30	140
05	3,000	33~36	140
06	3,950	39~42	180
07	3,950	45~51	200
08	3,950	54~60	240

Protected



Metake

Very thin bamboo mostly used for ceilings and windows of a tea ceremony room.

品番YA 004	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	6	8
02	2,000	7.5	8
03	2,000	9	9
04	2,000	10.5	10
05	2,000	12	10
06	2,000	13.5	13
07	2,000	15	13
08	2,000	18	15
09	3,000	10.5	16
10	3,000	12	16
11	3,000	15	19
12	3,000	18	24
13	3,950	15	21
14	3,950	18	25
15	3,950	21	33
16	3,950	24	46

Protected



Yatake

Usually used for the same purposes as Metake, but stronger and more polished.

品番YA 005	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9	12
02	2,000	12	14
03	2,000	15	16
04	3,000	12	19
05	3,000	15	21
06	3,950	12	26
07	3,950	15	26
08	3,950	18	33

Protected



Kanchiku

Bamboo which grows during winter, mostly used for windows.

品番YA 006	Length/mm	φ/mm	U/P(\$)
01	1,800	6	14
02	1,800	7.5	17
03	1,800	9	18
04	2,100~2,400	9	19
05	2,100~2,400	12	23
06	2,700~3,000	12	26
07	2,700~3,000	15	29
08	3,300~3,600	15	33
09	3,300~3,600	18	43



Sabitake (Hachiku)

Bamboo with a natural sesame pattern.

品番YA 007	Length/mm	φ/mm	U/P(\$)
01	2,000	9~12	80
02	2,000	15~18	80
03	2,000	21~24	72
04	2,000	27~30	72
05	2,000	33~36	72
06	2,000	39~42	77
07	2,000	45~48	89
08	3,000	21~24	86
09	3,000	27~30	86
10	3,000	33~36	86
11	3,000	39~42	100
12	3,000	45~48	120
13	3,950	24~30	110
14	3,950	33~36	110
15	3,950	39~42	110
16	3,950	45~51	150
17	3,950	54~63	150



■ Sabitake (Moso) Polyurethane Filled YA-008 p.16



Sabitake (Moso)

Thick bamboo with a natural sesami pattern.

品番YA 008	Length/mm	φ/mm	U/P(\$)
01	4,000	45~51	135
02	4,000	54~63	141
03	4,000	66~72	145
04	4,000	75~81	157
05	4,000	84~90	175
06	4,000	93~99	186
07	4,000	102~111	215
08	4,000	114~120	275
09	4,000	123~129	320
10	4,000	132~138	375
11	4,000	141~150	460



Shinsabitake

Bamboo with an artificial sesami pattern.

品番YA 009	Length/mm	φ/mm	U/P(\$)
01	2,000	9~12	25
02	2,000	15	25
03	2,000	18	25
04	2,000	21	27
05	2,000	24	29
06	2,000	27	31
07	2,000	30	33
08	3,000	18	36
09	3,000	21	38
10	3,000	24	40
11	4,000	24	54
12	4,000	27	56
13	4,000	30	58



Kurotake

Natural black bamboo.

品番YA 010	Length/mm	φ/mm	U/P(\$)
01	2,000	9	5
02	2,000	12	5
03	2,000	15	6
04	2,000	18	8
05	2,000	21	12
06	2,000	24	13
07	2,000	27	15
08	2,000	30	18
09	3,000	18	11
10	3,000	21	14
11	3,000	24	16
12	3,000	27	18
13	3,000	30	22
14	4,100	24	18
15	4,100	27	20
16	4,100	30	26
17	4,100	33~36	36
18	4,100	39~42	59



Toratake

Bamboo with a tiger pattern, mostly used for interior.

品番YA 011	Length/mm	φ/mm	U/P(\$)
01	4,000	30	35
02	4,000	33~36	45
03	4,000	39~42	52
04	4,000	45~51	72
05	4,000	54~63	110
06	4,000	66~72	130
07	4,000	75~81	170



Monchiku

Bamboo with its natural pattern.

品番YA 012	Length/mm	φ/mm	U/P(\$)
01	2,000	15~18	43
02	2,000	21~24	45
03	2,000	27~30	45
04	2,000	33~36	47
05	3,000	21~24	55
06	3,000	27~30	55
07	4,000	27~30	63
08	4,000	33~36	69
09	4,000	39~42	70
10	4,000	45~51	83
11	4,000	54~63	100
12	4,000	66~72	140
13	4,000	75~81	190



■ Toratake YA-011 p.16



Zumentake

Bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(\$)
013			
01	4,000	60~69	200
02	4,000	72~81	200
03	4,000	84~90	200
04	4,000	93~99	210
05	4,000	102~108	220
06	4,000	111~117	300
07	4,000	120~129	380
08	4,000	132~141	480
09	4,000	144~153	580
10	2,000~3,000	60~69	160
11	2,000~3,000	72~81	160
12	2,000~3,000	84~90	160
13	2,000~3,000	93~99	170
14	2,000~3,000	102~108	180
15	2,000~3,000	111~117	250

Protected



Zumentake (Kaku)

Square bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(\$)
014			
01	4,000	45~66	250
02	4,000	69~81	270
03	4,000	84~99	300
04	4,000	102~111	380
05	4,000	114~123	600
06	4,000	126~135	750
11	2,000~3,000	45~66	190
12	2,000~3,000	69~81	210
13	2,000~3,000	84~99	260
14	2,000~3,000	102~111	300
15	2,000~3,000	114~123	500

Protected



Zumentake (Hira)

Flat bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(\$)
015			
01	4,000	60~66	270
02	4,000	69~81	270
03	4,000	84~99	320
04	4,000	102~111	370
05	4,000	114~126	600
06	4,000	129~141	820
07	4,000	144~156	1,100
08	4,000	159~171	1,300
09	4,000	174~186	1,500
12	2,000~3,000	60~66	220
13	2,000~3,000	69~81	220
14	2,000~3,000	84~99	260
15	2,000~3,000	102~111	320

Protected



Shiratake (Kaku)

Square natural white bamboo.

品番YA	Length/mm	φ/mm	Protected U/P(\$)
016			
01	4,000	45~66	310
02	4,000	69~81	330
03	4,000	84~99	350
04	4,000	102~111	380
05	4,000	114~123	600
06	2,000~3,000	45~66	260
07	2,000~3,000	69~81	280
08	2,000~3,000	84~99	290
09	2,000~3,000	102~111	320

Protected



Shiratake (Hira)

Flat natural white bamboo.

品番YA	Length/mm	φ/mm	Protected U/P(\$)
017			
01	4,000	60~66	310
02	4,000	69~81	330
03	4,000	84~99	350
04	4,000	102~111	400
05	2,000~3,000	60~66	280
06	2,000~3,000	69~81	280
07	2,000~3,000	84~99	300
08	2,000~3,000	102~111	330

Protected



Sabitake (Kaku)

Square bamboo with a natural sesame pattern.

品番YA	Length/mm	φ/mm	U/P(\$)
018			
01	4,000	45~66	580
02	4,000	69~81	600
03	4,000	84~99	630
04	4,000	102~111	780
05	4,000	114~123	900
06	4,000	126~135	1,000
07	2,000~3,000	45~66	510
08	2,000~3,000	69~81	520
09	2,000~3,000	84~99	530
10	2,000~3,000	102~111	600



Sabitake (Hira)

Flat bamboo with a natural sesame pattern.

品番YA 019	Length/mm	φ/mm	U/P(\$)
01	4,000	60~66	630
02	4,000	69~81	630
03	4,000	84~99	680
04	4,000	102~111	820
05	2,000~3,000	60~66	500
06	2,000~3,000	69~81	500
07	2,000~3,000	84~99	520
08	2,000~3,000	102~111	630



Somesusutake (Kaku)

Square bamboo dyed in a dark red color.

品番YA 020	Length/mm	φ/mm	Protected U/P(\$)
01	4,000	69~81	370
02	4,000	84~99	430
03	4,000	102~111	500
04	2,000~3,000	69~81	340
05	2,000~3,000	84~99	400
06	2,000~3,000	102~111	460

Protected



Somesustake (Hira)

Flat bamboo dyed in a dark red color.

品番YA 021	Length/mm	φ/mm	Protected U/P(\$)
01	4,000	69~81	370
02	4,000	84~99	430
03	4,000	102~111	500
04	2,000~3,000	69~81	340
05	2,000~3,000	84~99	400
06	2,000~3,000	102~111	460

Protected



Honsusutake

Bamboo smoked for 150 years, used for old Japanese houses. Every bamboo design is different.

品番YA 022	Length/mm	φ/mm	U/P(\$)
01	2,000	9~18	120
02	2,000	21~24	100
03	2,000	27~30	100
04	2,000	33~39	100
05	3,000	21~24	140
06	3,000	27~30	120
07	3,000	33~39	120
08	3,950	24~33	160
09	3,950	36~42	190
10	3,950	45~51	260
11	3,950	54~63	700~1,000
12	3,950	66~72	1,000~2,400
13	3,950	75~81	2,400~4,000
14	3,950	84~90	4,000~15,000



■ Honsusutake YA-022 p.18



Somesusutake

Bamboo dyed in a dark red color.

品番YA 023	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9~12	17
02	2,000	15	17
03	2,000	18	18
04	2,000	21	19
05	2,000	24	21
06	2,000	27	22
07	2,000	30	24
08	3,000	18	22
09	3,000	21	23
10	3,000	24	26
11	3,000	27	28
12	3,000	30	31
13	3,950	24	31
14	3,950	27	33
15	3,950	30	40
16	3,950	33~36	65
17	3,950	39~42	80
18	3,950	45~51	95
19	3,950	54~63	130
20	3,950	66~72	160
21	3,950	75~81	200
22	3,950	84~90	240
23	3,950	93~99	310
24	3,950	102~108	380

Protected

Somesusutake (Bokashi)

Bamboo dyed in a dark red color with an artificial design, making it similar to Honsusutake.

品番YA 024	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9~12	25
02	2,000	15	27
03	2,000	18	27
04	2,000	21	29
05	2,000	24	31
06	2,000	27	32
07	2,000	30	35
08	3,000	18	35
09	3,000	21	39
10	3,000	24	41
11	3,000	27	43
12	3,000	30	46
13	3,950	24	50
14	3,950	27	52
15	3,950	30	55
16	3,950	33~36	80
17	3,950	39~42	120
18	3,950	45~51	130
19	3,950	54~63	180
20	3,950	66~72	210
21	3,950	75~81	270
22	3,950	84~90	320
23	3,950	93~99	410
24	3,950	102~108	500

Protected



Koshokutake

Bamboo dyed in an orange color.

品番YA 025	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9~12	17
02	2,000	15	17
03	2,000	18	18
04	2,000	21	19
05	2,000	24	21
06	2,000	27	22
07	2,000	30	24
08	3,000	18	22
09	3,000	21	23
10	3,000	24	26
11	3,000	27	28
12	3,000	30	31
13	3,950	24	31
14	3,950	27	33
15	3,950	30	40
16	3,950	33~36	65
17	3,950	39~42	80
18	3,950	45~51	95
19	3,950	54~63	130
20	3,950	66~72	160
21	3,950	75~81	200
22	3,950	84~90	240
23	3,950	93~99	310
24	3,950	102~108	380

Protected



Susuyatake

Yatake bamboo dyed in a dark red color.

品番YA 026	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9	16
02	2,000	12	19
03	2,000	15	20
04	3,000	12	23
05	3,000	15	25
06	3,950	15	33
07	3,950	18	35

Protected



YA-027



YA-028

Someaotake

Bamboo dyed in a green color.

品番YA 027	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9~12	17
02	2,000	15	17
03	2,000	18	18
04	2,000	21	19
05	2,000	24	21
06	2,000	27	22
07	2,000	30	24
08	3,000	18	22
09	3,000	21	23
10	3,000	24	26
11	3,000	27	28
12	3,000	30	31
13	3,950	24	31
14	3,950	27	33
15	3,950	30	40
16	3,950	33~36	65
17	3,950	39~42	80
18	3,950	45~51	95
19	3,950	54~63	130
20	3,950	66~72	160
21	3,950	75~81	200
22	3,950	84~90	240
23	3,950	93~99	310
24	3,950	102~108	380

Protected

Somekurotake

Bamboo dyed in a black color.

品番YA 028	Length/mm	φ/mm	Protected U/P(\$)
01	2,000	9~12	17
02	2,000	15	17
03	2,000	18	18
04	2,000	21	19
05	2,000	24	21
06	2,000	27	22
07	2,000	30	24
08	3,000	18	22
09	3,000	21	23
10	3,000	24	26
11	3,000	27	28
12	3,000	30	31
13	3,950	24	31
14	3,950	27	33
15	3,950	30	40
16	3,950	33~36	65
17	3,950	39~42	80
18	3,950	45~51	95
19	3,950	54~63	130
20	3,950	66~72	160
21	3,950	75~81	200
22	3,950	84~90	240
23	3,950	93~99	310
24	3,950	102~108	380

Protected



■ Someaotake YA-027 p.20



Tosotake

Bamboo painted in different colors.

品番YA 029	Length /mm	φ/mm	BU·GN·BK·RD·WT U/P(\$)
01	1,910	9~18	45
02	1,910	21~24	53
03	1,910	27~30	59
04	3,000	21	95
05	3,000	24	100
06	3,000	27	105
07	3,000	30	110
08	3,940	30~39	125
09	3,940	42~48	130
10	3,940	51~60	145
11	3,940	63~69	160
12	3,940	72~78	200
13	3,940	81~87	320
14	3,940	90~99	350
15	3,940	102~108	420
16	3,940	111~117	480
17	3,940	120~129	530
	Length /mm	φ/mm	BN·GD·SI U/P(\$)
18	1,910	9~18	50
19	1,910	21~24	60
20	1,910	27~30	65
21	3,000	21	105
22	3,000	24	110
23	3,000	27	115
24	3,000	30	120
25	3,940	30~39	135
26	3,940	42~48	155
27	3,940	51~60	165
28	3,940	63~69	180
29	3,940	72~78	225
30	3,940	81~87	360
31	3,940	90~99	390
32	3,940	102~108	475
33	3,940	111~117	550
34	3,940	120~129	590

BU=Blue
GN=Green
BK=Black
RD=Red
WT=White
BN=Brown
GD=Gold
SI=Silver



Shinatake

Bamboo with a natural spiral pattern.

品番YA 030	Length/mm	φ/mm	U/P(\$)
01	1,200	9	10
02	1,200	12	20
03	1,500	15	30
04	1,800	18	40



Hoteitake

Bamboo with a bumpy pattern towards the bottom.

品番YA 031	Length/mm	φ/mm	U/P(\$)
01	2,000	21~24	30
02	2,000	27~30	35
03	2,000	33~36	40



Kikkotake

Bamboo with a pattern of a turtle shell towards the bottom.

品番YA 032	Length/mm	φ/mm	Protected U/P(\$)
01	1,200~1,800	30~45	150~300
02	1,800~2,400	48~60	300~450
03	2,400~3,000	63~75	450~600
04	3,000~3,600	78~90	600~900
05	3,000~3,600	93~105	900~3,000

Protected



■ Tosotake(white) YA-029 p.21



Sabikikkotake

Turtle shell bamboo with a natural sesame pattern.

品番YA 033	Length/mm	φ/mm	U/P(\$)
01	1,800~2,400	48~60	450~600
02	1,800~2,400	63~75	600~900
03	1,800~2,400	78~90	900~3,000




Somesusukikkotake

Turtle shell bamboo dyed in a dark red color.

品番YA 034	Length/mm	φ/mm	Protected U/P(\$)
01	1,800~2,400	48~60	360~510
02	1,800~2,400	63~75	510~660
03	1,800~2,400	78~90	660~960

Protected



Hitake

Root of a bamboo. Only grows one in a thousand.

品番YA 035	Length/mm	φ/mm	U/P(\$)
01	1,800	24~30	150~300
02	3,000	33~45	300~450
03	3,900	48~54	450~600



Shimitake

Bamboo with natural black stains.

品番YA 036	Length/mm	φ/mm	Protected U/P(\$)
01	1,800	24~30	150~240
02	3,000	33~45	240~390
03	3,900	48~60	390~450
04	3,900	63~75	450~600
05	3,900	78~90	600~900

Protected



Aotake (Matake)

Natural fresh green bamboo.

品番YA 037	Length/mm	φ/mm	U/P(\$)
01	4,000	30~33	18
02	4,000	36~42	25
03	4,000	45~51	38
04	4,000	54~63	50
05	4,000	66~72	68
06	4,000	75~81	95
07	4,000	84~90	130



Aotake (Moso)

Thick natural fresh green bamboo.

品番YA 038	Length/mm	φ/mm	U/P(\$)
01	4,000	93~99	96
02	4,000	102~111	104
03	4,000	114~120	150
04	4,000	123~129	165
05	4,000	132~138	185
06	4,000	141~150	240
07	4,000	153~159	270
08	4,000	162~168	300
09	4,000	171~180	330